

GX Plus Forklifts

Pneumatic Diesel and LPG 2.0 to 3.0 ton Series

D20/25/30G Plus · Euro Stage IIIA G20/25/30G Plus



Building your tomorrow today

About Doosan

Values that drive our future growth

Trust in people is the foundation upon which Doosan has built its century of success

Over the past 100 years Doosan has always put people first, based on the management philosophy outlined by our first Chairman Too Pyung Park, that "business is not meant to make profits, but to help people grow."

This philosopy continues to spur Doosan's corporate development, with global competitiveness originating from our most valuable resource - our people.

Doosan, Korea's oldest but fastest growing company

Established in 1896, Doosan is Korea's oldest company, but has grown at its most rapid pace for the past 10 years.

Doosan's global Infrastructure Support Business (ISB)

In the past 70% of our business was concentrated on consumer goods, but following reorganisation of our business portfolio in 1998 we have successfully transformed our business DNA to shift the primary focus of our business to infrastructure support.

This means that Doosan now creates more than 90% of its sales through its Infrastructure Support Business

Doosan's growth as a global company

Doosan has become the global ISB leader based on its world class products and services. It is a truly global company, with 50% of its employees based outside of Korea, and overseas trade making up over 60% of the total sales.



LEADING THE WAY

DOOSAN GX PLUS SERIES

Operator Compartment

The newly designed operator compartment provides optimal comfort and productivity.

- Spacious Operator Compartment with lots of leg room.
- Ergonomically located pedals.
- Low dashboard for better visibility.

Hood Mounted Control Levers

The comfortable arm position to operate the levers reduces the operator's fatigue significantly.

Adjustable Steering Column

The steering column is stepless tilting, to fit perfectly to the operator's preferences.

New Instrument Panel

The easily readable, integrated instrument panel provides a clear overview of the truck's status.

Rigid Transaxle with Shoe Brakes

The rigid transaxle includes shoe brakes and the 1-speed powershift transmission helps to reduce maintenance and repair time and costs.

Wide Step Plate and Easy Entry Grab Bar

Enables easy entry and exit. The wide anti-slip step plates ensures the operator's safety in any weather condition.



- Overhead Guard / Cabin (optional)

The ergonomically designed overhead guard and cabin offer great visibility and safety.

Operator Sensing System (OSS)

This systems avoids any unintended forklift movements when the operator is not seated. It reduces the risk on accidents involving operators or nearby people and protects the truck and it's load.

Dual Element Air Cleaner

The large capacity, dual element air cleaner is designed for extended service intervals, thus lowering your service costs.

Powerful Engine

Powerful and market proven engine:

- Diesel: Yanmar 34.2 kW Euro Stage IIIA
- LPG: MMC 48.9 kW

Counterweight & Cooling

The newly designed counterweight shows Doosan's GX Plus Series design identity and allows better air flow to maximize the cooling capacity.

Engine Hood

The strong, rigid steel engine hood ensures optimal durability. The wide open angle provides excellent accessibility to service components.

Easy to Remove Floor Plate & Mat

The easy-to-remove floor plate offers great accessibility to the powertrain and other components. The thick rubber floor mat reduces noise and vibration for better operator comfort.



SIMPLE AND ERGONOMIC DESIGN

SIMPLE TO OPERATE



Hood Mounted Hydraulic Control Levers

The hydraulic levers have been positioned with the operator's comfort in mind. Being mounted on the hood, it reduces the arm movement during operation to the minimum. This reduces operator's fatigue, resulting in higher productivity.



engine oil pressurealternator voltagewater separatorpre-heat indicator

Adjustable Tilt Steering Column

The easily adjustable, stepless tiltable steering column ensures the operator can work in an optimal ergonomic position, in order to avoid back injuries when operating the truck for long periods.





Wide Step Plate and Entry Grab Bar

Thanks to the wide anti-slip step plates, the operator can safely mount and unmount the truck, even in slippery weather conditions due to rain or snow. The Entry Grab Bar provides the operator a firm grip to mount and unmount the truck in all safety.



EASY TO MAINTENANCE

Easy to Access

- Easy to open hood
- Wide hood open angle
- Easy removable floor mat and plate

Easy to Service

- Optimized location to service: battery, air cleaner, filters, dipstick gauges
- Integration of fuses and relays










The SMART choice for your business

FOR VARIOUS APPLICATIONS







High Powered, Fuel Efficient Engine

The 3.0 liter Yanmar diesel engine is designed exclusively for industrial applications. This engine provides great fuel efficiency, low noise and extended service intervals.

The 2.4 liter LPG engine provides great torque and high performance. The engine includes hydraulic lash adjusters, providing a service free valve train for the complete engine lifetime. The premium camshaft and balance shaft belts help not only to extend the service interval, but also to reduce noise.



Cyclone, Dual Element Air Cleaner

The cyclone type and heavy duty dual element filter air cleaning system protects the engine against contamination. This extends the engine's service life and keeps the best engine condition in any environment.



Rigid Transaxle with Shoe Brake

The rigid transaxle with shoe brakes includes a 1-speed, powershift transmission and uses a 4-pinion differential bevel gear set to transfer high torque to the drive wheels .

The transmission gear is made from carbonized high alloy steel to ensure maximal durability.



Robust Frame

The complete frame consists of two bended side weldments, a rear and a front frame. These four weldments are welded together to produce a uniform, robust and rigid frame. The bended side weldments provide rigid support and structure.



| choose the reatures what you need | | |
|---|----------|--------|
| SAFETY | STANDARD | OPTION |
| Directional Lever | 0 | |
| Operator Sensing System (OSS) | 0 | |
| Back-up buzzer | 0 | |
| Mast Interlock - Tilt, Lift and Lower | 0 | |
| Anti-clinch Type Orange Seat Belt | 0 | |
| Spark Arrestor | | 0 |
| Rear Grab Bar with Horn | | 0 |
| Strobe Light | | 0 |
| Fuel Cap with Key | | 0 |
| Automatic Engine Shut Down | | 0 |
| PRODUCTIVITY | STANDARD | OPTION |
| Powerful Diesel or LPG Engine | 0 | |
| Pedal Location (Accelerator, Brake and Inching) | 0 | |
| Inching Pedal | 0 | |
| Combination Lamps (halogen) | 0 | |
| LED Combination Lamps | | 0 |
| Quick Disconnect Hose Couplings | | 0 |
| COMFORT | STANDARD | OPTION |
| Adjustable Steering column (tiltable) | 0 | |
| Integrated Instrument Panel | 0 | |
| Steering Knob | 0 | |
| Hood mounted Control Levers | 0 | |
| Full Cabin with Heater | | 0 |
| Defroster Fan | | 0 |
| DURABILITY | STANDARD | OPTION |
| Dual Element Air Cleaner | 0 | |
| Powershift Transaxle (with Shoe Brakes) | 0 | |
| Autoshift Controller | | 0 |
| Heavy Duty Cooling (only available for diesel models) | | 0 |
| Pre-Cleaner | | 0 |
| SERVICEABILITY | STANDARD | OPTION |
| Removable Floor Mat and Plate | 0 | |
| Easy to Service | 0 | |
| - Integrated Electric Components (Relays and Fuses) | | |
| - Tool-less Side Floor Mat and Plate | | |
| - Wide Hood Open Range | | |
| ENVIRONMENT | STANDARD | OPTION |
| Emission Regulation (Euro Stage IIIA) | 0 | |
| ISO 9001 / ISO 14001 | 0 | |
| HOMOLOGATION | STANDARD | OPTION |
| HOMOLOGATION | | |









Doosan Industrial Vehicle Europe nv

Europark-Noord 36A 9100 Sint-Niklaas Belgium

Tel.: +32 3 760 09 87 Fax: +32 3 760 09 89 Website: www.doosan-iv.eu

| AUTHORIZED DEALER |
|-------------------|
|-------------------|

EUDG30G-Plus-170612v1EN (June 2017)